

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	"4453170"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/10 09:05
S2	32	"4750045"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/10 09:10
S3	12	"5268687"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/10 09:16
S4	97	("3863603" "3959574" "4070089" "4270131" "4283145" "4307409" "4307930" "4314154" "4321628" "4445125" "4445126" "4445128" "4453170" "4474422" "4525749" "4547038" "4584612" "4684238" "4690539" "4750045" "4794651" "4796961" "4797749" "4801978" "4838632" "4855290" "4933687" "5055860" "5150249" "5315112" "5315321" "5412409")	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/10 09:19

		"5498869" "5610652" "5638109" "5674656" "5724087" "5805296" "5821971").PN. OR ("4453170" "4750045" "5237444" "5268687" "5315321" "6023286" "6055005").URPN.				
S5	2	(mirror or deflect\$3) with (measur\$3 or sens\$3 or detect\$3) with (angle or orientation or position\$3) same null with mode with vibrat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 11:41
S6	2	(mirror or deflect\$3) with (measur\$3 or sens\$3 or detect\$3) with (angle or orientation or position\$3) and null with mode with vibrat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 11:42
S9	297	(mirror or deflect\$3) with (measur\$3 or sens\$3 or detect\$3) with (angle or orientation or position\$3) with null	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 11:43
S10	448	(mirror or deflect\$3) with (angle or orientation or position\$3) same (mirror or deflect\$3) with (measur\$3 or sens\$3 or detect\$3) with (center or middle or null) and ("347" or "399" or "359").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 11:46

S11	3	return adj mirror same null same (measur\$5 or sens \$3 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 11:56
S12	0	return adj mirror same vibration near3 mode same (measur\$5 or sens \$3 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 11:58
S13	2	return adj mirror same vibration near3 mode	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 11:59
S14	0	return adj mirror same mode with null	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 11:59
S15	99	mirror same mode with null	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 11:59
S16	13	(US-20070159676-\$ or US-20020093258- \$).did. or (US- 4453170-\$ or US- 5268687-\$ or US- 4750045-\$ or US- 5237444-\$ or US- 6023286-\$ or US- 6055005-\$ or US- 5315321-\$ or US- 6493010-\$ or US- 5150249-\$ or US- 4838632-\$).did. or (WO-2005076200-\$). did.	US-PGPUB; USPAT; EPO	OR	ON	2008/04/22 12:29
S17	1	S16 and prism	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 12:29
S18	570	"347".clas. and prism with mirror	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 12:30

S19	98	"347".clas. and prism with mirror with deflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 12:33
S21	194	"347".clas. and photosensitive near belt	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 12:43
S22	6	S16 and optic\$2 with (sens\$3 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 12:45
S26	25	optic\$2 near (sens \$3 or detect\$3) same (mirror or deflect\$3) with (angle or postion) and "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 12:48
S27	18	optic\$2 near (sensor or detector) same (mirror or deflect\$3) with (angle or postion) and "347". clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 12:49
S30	63	optic\$2 near (sensor or detector) same (mirror or deflect\$3) with (angle or position) and "347". clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 12:51
S31	731	optic\$2 near (sensor or detector) with (mirror) with (angle or position)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 12:54
S32	527	optic\$2 near (sensor or detector) with (measur\$5 or detect \$3) with (mirror) with (angle or position)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 13:03
S33	1022	(optic\$2 or light) near (sensor or detector) with (measur\$5 or detect \$3) with (mirror) with (angle or position)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 13:03

S34	103	(optic\$2) near (sensor or detector) with (measur\$5) with (mirror) with (angle or position)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/22 13:04
-----	-----	--	---	----	----	---------------------

4/ 22/ 2008 2:33:49 PM

C:\Documents and Settings\kwright1\My Documents\EAST\Workspaces\10586957.
wsp